

View HTTP Request and Response Header

[Ads by Google](#)[Tow Truck](#)[Wrecker Trucks](#)[Food Truck](#)[Truck Ex](#)For more information on HTTP see [RFC 2616](#)
HTTP(S)-URL: (IDN allowed)

 HTTP version: HTTP/1.1 HTTP/1.0 (with Host header) HTTP/1.0 (without Host header)

 Raw HTML view Accept-Encoding: gzip • Request type: GET POST HEAD

TRACE

User agent:

HTTP Request Header

Connect to 72.22.71.23 on port 80 ... ok

```
GET /fsoqp/adult/adult_12.html HTTP/1.1[CRLF]
Host: midwestwrecker.com[CRLF]
Connection: close[CRLF]
User-Agent: Googlebot/2.1 (+http://www.googlebot.com/bot.html) [CRLF]
Accept-Encoding: gzip[CRLF]
Accept-Charset: ISO-8859-1,UTF-8;q=0.7,*;q=0.7[CRLF]
Cache-Control: no[CRLF]
Accept-Language: de,en;q=0.7,en-us;q=0.3[CRLF]
Referer: http://web-sniffer.net/[CRLF]
[CRLF]
```

HTTP Response Header

Name	Value	Delim
HTTP Status Code: HTTP/1.1 200 OK		
Date:	Thu, 08 May 2008 17:50:33 GMT	
Server:	Apache	
Content-Encoding:	gzip	
Vary:	Accept-Encoding	
Connection:	close	
Transfer-Encoding:	chunked	
Content-Type:	text/html	

Content (encoded: 4.46 KiB / decoded: 17.85 KiB)

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml.
```

```
<html dir="ltr" lang="en">
<head>
<meta name="keywords" content="100 free adult classifieds canada, 3d adult cartoon gallery
<title>Adult care center day health, Adult conent, Adult contacts in michigan, Adult dating
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1" />
<meta name="generator" content="vBulletin 3.5.3" />

<!-- CSS Stylesheet -->
<style type="text/css" id="vbulletin_css">
<!--
/* vBulletin 3 CSS For Style 'Old School' (styleid: 1) */
body
{
    background: #E1E1E2;
    color: #000000;
    font: 10pt verdana, geneva, lucida, 'lucida grande', arial, helvetica, sans-serif;
    margin: 5px 10px 10px 10px;
    padding: 0px;
}
a:link
{
    color: #22229C;
}
a:visited
{
    color: #22229C;
}
a:hover, a:active
{
    color: #FF4400;
}
.page
{
    background: #FFFFFF;
    color: #000000;
}
td, th, p, li
{
    font: 10pt verdana, geneva, lucida, 'lucida grande', arial, helvetica, sans-serif;
}
.vbmenu_control
{
    background: #738FBF;
    color: #FFFFFF;
    font: bold 11px tahoma, verdana, geneva, lucida, 'lucida grande', arial, helvetica, sans-
padding: 3px 6px 3px 6px;
white-space: nowrap;
}
.vbmenu_control a:link
{
    color: #FFFFFF;
text-decoration: none;
}
.vbmenu_control a:visited
{
    color: #FFFFFF;
text-decoration: none;
}
.vbmenu_hilite a:link
{
    color: #FFFFFF;
text-decoration: none;
}
```

```

}
.vbmenu_hilite a:visited
{
  color: #FFFFFF;
  text-decoration: none;
}
.vbmenu_hilite a:hover, .vbmenu_hilite a:active
{
  color: #FFFFFF;
  text-decoration: none;
}

/* ***** don't change the following ***** */
form { display: inline; }
label { cursor: default; }
.normal { font-weight: normal; }
.inlineimg { vertical-align: middle; }
-->
</style>

<!-- / CSS Stylesheet -->

<script type="text/javascript">
<!--
var vb_disable_ajax = parseInt("0", 10);
// -->
</script>
</head>
<body>
<!-- logo -->
<a name="top"></a>

<!-- /logo -->

<!-- content table -->
<!-- open content container -->

<div align="center">
  <div class="page" style="width:830px; text-align:left">
    <div style="padding:0px 25px 0px 25px">
<br />

<table class="tborder" cellpadding="6" cellspacing="1" border="0" width="100%" align="cente
<tr>
  <td class="alt1" width="100%">

    <table cellpadding="0" cellspacing="0" border="0">
<tr valign="bottom">
  <td><a href="#" onclick="history.back(1); return false;"><span class="navbar"></span>
  <span class="navbar"> <a style='cursor:pointer; text-decoration:underline;'>View Profile<
</td>
</tr>
<tr>
  <td class="navbar" style="font-size:10pt; padding-top:1px" colspan="3"><a style='cu
  Adult diego education san
</strong></td>
</tr>
</table>

</td>

```

```

<td class="alt2" nowrap="nowrap" style="padding:0px">

<!-- login form -->
<form action="" method="post" >
<table cellpadding="0" cellspacing="3" border="0">
<tr>
<td class="smallfont">User Name</td>
<td><input type="text" class="bginput" style="font-size: 11px" name="vb_login_usernan
<td class="smallfont" colspan="2" nowrap="nowrap"><label for="cb_cookieuser_navbar"><
</tr>
<tr>
<td class="smallfont">Password</td>
<td><input type="password" class="bginput" style="font-size: 11px" name="vb_login_pas
<td><input type="submit" class="button" value="Log in" tabindex="104" title="Enter yc
</tr>
</table>
<input type="hidden" name="do" value="login" />
<input type="hidden" name="vb_login_md5password" />
<input type="hidden" name="vb_login_md5password_utf" />
</form>
<!-- / login form -->

</td>

</tr>
</table>
<!-- / breadcrumb, login, pm info -->

<!-- nav buttons bar -->
<div align="center">
<table class="tborder" cellpadding="6" cellspacing="0" border="0" width="100%" align="cer
<tr align="center">

<td class="vbmenu_control"><a href="" rel="nofollow">Register</a></td>

<td class="vbmenu_control"><a style='cursor:pointer; text-decoration:underline;' access
<td class="vbmenu_control"><a style='cursor:pointer; text-decoration:underline;'>Member
<td class="vbmenu_control"><a style='cursor:pointer; text-decoration:underline;'>Calenc

<td class="vbmenu_control"><a style='cursor:pointer; text-decoration:underline;' ac

<td id="navbar_search" class="vbmenu_control"><a style='cursor:pointer; text-decora

</tr>
</table>
</div>
<!-- / nav buttons bar -->

<br />

<!-- NAVBAR POPUP MENUS -->

<!-- header quick search form -->
<div class="vbmenu_popup" id="navbar_search_menu" style="display:none">
<table cellpadding="4" cellspacing="1" border="0">

```

```

<tr>
  <td class="thead">Search Forums</td>
</tr>
<tr>
  <td class="vbmenu_option" title="nohilite">
    <form action="" method="post">
      <input type="hidden" name="do" value="process" />
      <input type="hidden" name="showposts" value="0" />
      <input type="hidden" name="quicksearch" value="1" />
      <input type="text" class="bginput" name="query" size="20" />&nbsp;<input type="subm
    </form>
  </td>
</tr>
<tr>
  <td class="vbmenu_option"><a style='cursor:pointer; text-decoration:underline;' acces
</tr>
</table>
</div>
<!-- / header quick search form -->

<!-- / NAVBAR POPUP MENUS -->

<!-- PAGENAV POPUP -->

<div class="vbmenu_popup" id="pagenav_menu" style="display:none">
  <table cellpadding="4" cellspacing="1" border="0">
    <tr>
      <td class="thead" nowrap="nowrap">Go to Page...</td>
    </tr>
    <tr>
      <td class="vbmenu_option" title="nohilite">
        <form action="" method="get" onsubmit="return this.gotopage()" id="pagenav_form">
          <input type="text" class="bginput" id="pagenav_itxt" style="font-size:11px" size="4
          <input type="button" class="button" id="pagenav_ibtn" value="Go" />
        </form>
      </td>
    </tr>
  </table>
</div>

<!-- / PAGENAV POPUP -->

<!-- main info - avatar, profilepic etc. -->
<table class="tborder" cellpadding="6" cellspacing="1" border="0" width="100%" align="cente
<tr>
  <td class="tcat">View Profile<span class="normal">: Adult dvd sale cheap porn dvd </span>
</tr>
<tr>
  <td class="alt2">
    <table cellpadding="0" cellspacing="0" border="0" width="100%">
      <tr>
        <td style="border-bottom:1px solid #D1D1E1" width="100%" colspan="2">

          <div style="float:right; padding:4px">

            <div align="center">Adult engine free search Newbie</div>
        </td>
      </tr>
    </table>
  </td>
</tr>

```

```

</tr>
<tr valign="top">

    <td>&nbsp;</td>

    <td class="smallfont" valign="bottom" align="right">

        <div>Last Activity: adult fellatio Weeks Ago <span class="time">adult fiction nc1

    </td>
</tr>
</table>
</td>
</tr>
</table>
<!-- / main info - avatar, profilepic etc. -->

<!-- button row -->

<!-- / button row -->

<br />

<!-- signature row -->
<table class="tbody" cellpadding="6" cellspacing="1" border="0" width="100%" align="center">
<tr>
    <td class="thead">Signature</td>
</tr>
<tr>
    <td class="alt1" title="Signature"><div align="center"><h1>Adult flash 3, Adult free matu
</div>
<br />
<br /><h1>
Adult mature women stripping, Adult night care wilmington nc, Adult only sex oriented mud,
</tr>
</table>
<p>
<!-- / signature row -->
</p>
<span style="font-size:14px; font-weight:bold;">User comments.</span>

    <!-- comment 1 -->
    <div class="div-comments">
        <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

            <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
            <div>Forza Inter!!!</div>
        </div>
    </div>

    <!-- comment 1 -->
    <div class="div-comments">
        <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

            <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
            <div>I would Keep the TP for Some years and then Sell On e-bay evey si
        </div>
    </div>

    <!-- comment 1 -->
    <div class="div-comments">
        <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

            <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
            <div>It would be a short and boring book.</div>
        </div>
    </div>

```

```
</div>
<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>L00000000000000L made me laugh so hard!</div>
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>So touching! Great Job, Man!!!</div>
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>comment 4, so I am trying to reach maybe like 50 tonight! Oh yeah
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>freeï»¿ youtube!</div>
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>lol foiled again.</div>
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>lol just notice it the same Scooter from Smosh - Quest for the Sc
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>lol to everyone who says he's bad:      you're all fucking retards
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>one girl asked if she go to cheerleading practice the night of the
  </div>

<!-- comment 1 -->
<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc

    <div class="div-comments-2"><a style="cursor:pointer; text-decoration:
    <div>shut up with your stupid anti-war propaganda...moron</div>
  </div>

<!-- comment 1 -->
```

```

<div class="div-comments">
  <div class="div-comments-1"><a style="cursor:pointer; text-decoration:unc
    <div class="div-comments-2">( <a style="cursor:pointer; text-decoration:
    <div>teach me how to do that! so good. u figured that out in 5 minutes?
  </div>
</div>

<p> <br />
<a href="adult_6.html">Adult sales video</a> <a href="adult_48.html">Adult search engine x</a>
<table class="tbody" cellpadding="6" cellspacing="1" border="0" width="100%" align="center">
<tr>
  <td class="tcat" width="50%">Forum Info</td>
  <td class="tcat" width="50%">Contact Info</td>
</tr>
<tr valign="top">

  <td class="panelsurround" align="center">
  <div class="panel">
    <div align="left">

      <div class="fieldset">
        <div style="padding:3px">
          Join Date: <strong>8 5, 6</strong> </div>
        </div>

        <fieldset class="fieldset">
          <legend>Posts</legend>
          <table cellpadding="0" cellspacing="3" border="0">
            <tr>
              <td>
                Total Posts:<strong>10</strong><strong> </strong> (0 posts per day) </td>
            </tr>
            <tr>
              <td><a href="adult_48.html">Adult video store houston</a></td>
            </tr>
            <tr>
              <td><a href="adult_9.html">Adult we site local law us</a></td>
            </tr>
          </table>
        </fieldset>

        <div class="fieldset">
          <div style="padding:3px">
            Referrals:<strong>9</strong></div>
        </div>

      </div>
    </div>
  </td>

  <td class="panelsurround" align="center">
  <div class="panel">
    <div align="left">

      <div class="fieldset">
        <table cellpadding="0" cellspacing="3" border="0">

          <tr>

```



```

        <td>
          Email:<br />
          <a href="adult_44.html">Adult web tv free</a>           </td>
        </tr>

        <tr>
          <td>
            Private Message:<br />
            <a href="adult_19.html">Adult wireless remote</a>       </td>
          </tr>

        </table>
      </div>

    </div>
  </div>
</td>

</tr>
<tr>
  <td class="tcat" width="50%">Additional Information</td>
  <td class="tcat" width="50%">Group Memberships</td>
</tr>
<tr valign="top">

  <td class="panelsurround" align="center">
    <div class="panel">
      <div align="left">

        <div class="fieldset">

          <table cellpadding="0" cellspacing="3" border="0">

            <tr>
              <td>
                <strong>Date of Birth</strong>:<br />
                8 7, 7           </td>
              </tr>

            <tr>
              <td>
                <strong>Age</strong>:<br />
                7           </td>
              </tr>

          </table>

        </div>

      </div>
    </div>
  </td>

  <td class="panelsurround" align="center">
    <div class="panel">
      <div align="left">

        <div class="fieldset">
          <table cellpadding="0" cellspacing="3" border="0">
            <tr>

```

```
        <td><strong>Adult xxx screensaver is not a member of any public groups</strong></td>
    </tr>
</table>
</div>
</div>
</td>
</tr>
</table>
<br />
<div class="smallfont" align="center">All times are GMT +6.</div>
<br />
</div>
</div>
</div>
<!-- / close content container -->
<!-- /content area table -->
<form action="" method="get">
<table cellpadding="6" cellspacing="0" border="0" width="830" class="page" align="center">
<tr>
<td class="tfoot" align="right" width="100%">
    <div class="smallfont">
        <strong>
            <a href="#" rel="nofollow">Contact Us</a> -
            <a href="#">Archive</a> -
            <a href="#top" onclick="self.scrollTo(0, 0); return false;">Top</a>
        </strong>
    </div>
</td>
</tr>
</table>
<br />
</form>
</body>
</html>
```